

Zedira GmbH
Roesslerstrasse 83
64293 Darmstadt
Germany



Change Notification of Andracon® Usage Note

Affected Product	Andracon® Microbial (bacterial) Transglutaminase (MTG)
Product numbers	T250, T300
Reason	Specification of usage information for customers.
Change description	<p>The usage note on PDS and MSDS of Andracon® was changed.</p> <p>Now:</p> <p>“No testing has been conducted to determine the suitability of this product for use in or on humans or animals or for in vitro diagnostic applications (e.g., in or as food, consumer goods, feed materials, cosmetics, medicinal products, medical devices). Thus, this product is not approved for any such use. If any such use of this product is intended by customer, customer will be solely responsible to obtain any necessary approvals and to meet any other requirements under applicable laws and regulations associated with such intended use.”</p> <p>Before:</p> <p>“INTENDED FOR RESEARCH USE ONLY, NOT FOR USE IN HUMAN, THERAPEUTIC OR DIAGNOSTIC APPLICATIONS.”</p>
Measures	<p>The PDS and MSDS of Andracon® were changed.</p> <p>Adaption of the product label: “For research use only” is going to be replaced by “PDS and MSDS available” on labels of future production lots.</p> <p>This change notification is implemented on our website.</p>
Document release date	10 th June 2024
Revision Number	1
Note	This document is valid without a signature.